




NightLightR™

Luminaires

ETI Lighting's signature NightLightR™ fixtures offers a soft, warm amber glow, enhancing the ambiance of any residential or commercial space. With a simple toggle of the standard wall switch, users can effortlessly switch from downlight/area lighting to a calming nightlight mode. The NightLightR™ product family includes recessed, direct mount, and retrofit LED light fixtures, each crafted with our unique design to deliver both functionality and style.

Catalog Logic/PT#	Model #	Description	Lumens	Watts	CCT	CRI	Voltage	Dimming	Ratings
Downlights									
DLLP-NL-3IN-550LM-9-5CP-SV-TD	53826102	3" LowPro Canless Direct Mount Downlight with Color Preference® & Nightlight	550LM	10W	2700K 3000K 3500K 4000K 5000K	90 (min)	120V	TRIAC	ENERGY STAR® JA8 T24
DLLP-NL-4IN-650LM-9-5CP-SV-TD	53827103	4" LowPro Canless Direct Mount Downlight with Color Preference® & Nightlight	650LM	11W	2700K 3000K 3500K 4000K 5000K	90 (min)	120V	TRIAC	ENERGY STAR® JA8 T24
DLLP-NL-6IN-900LM-9-5CP-SV-TD	53828103	6" LowPro Canless Direct Mount Downlight with Color Preference® & Nightlight	900LM	15W	2700K 3000K 3500K 4000K 5000K	90 (min)	120V	TRIAC	ENERGY STAR® JA8 T24
DLLP-NL-8IN-1800LM-9-5CP-SV-TD	53829102	8" LowPro Canless Direct Mount Downlight with Color Preference® & Nightlight	1800LM	25W	2700K 3000K 3500K 4000K 5000K	90 (min)	120V	TRIAC	ENERGY STAR® JA8 T24
DLSQ-4IN-660LM-9-5CP-SV-TD	538661020	4" Square Canless Downlight with Color Preference® & Nightlight	660LM	11W	2700K 3000K 3500K 4000K 5000K	90 (min)	120V	TRIAC	ENERGY STAR® JA8 T24
DLSQ-6IN-1000LM-9-5CP-SV-TD	538671020	6" Square Canless Downlight with Color Preference® & Nightlight	1000LM	14W	2700K 3000K 3500K 4000K 5000K	90 (min)	120V	TRIAC	ENERGY STAR® JA8 T24
DL-4-625-907-SV-D	53805102	4" Retrofit Downlight with Color Preference® & Nightlight	625LM	10W	2700K 3000K 3500K 4000K 5000K	90 (min)	120V	TRIAC	ENERGY STAR® T20
DL-6-67-907-SV-D	53804102	6" Retrofit Downlight with Color Preference® & Nightlight	670LM	10W	2700K 3000K 3500K 4000K 5000K	90 (min)	120V	TRIAC	ENERGY STAR® T20

Catalog Logic/PT#	Model #	Description	Lumens	Watts	CCT	CRI	Voltage	Dimming	Ratings
Round Flush Mounts									
FMNL-7.5IN-800LM-8-CP3-SV-TD-WT	56568114	7.5" TwistFit Flushmount with Color Preference® & Nightlight – White	800LM	12W	3000K 4000K 5000K	80 (min)	120V	TRIAC	UL Damp Location
FMNL-7.5IN-800LM-8-CP3-SV-TD-BN	56568116	7.5" TwistFit Flushmount with Color Preference® & Nightlight – Brushed Nickel	800LM	12W	3000K 4000K 5000K	80 (min)	120V	TRIAC	UL Damp Location
FMNL-11IN-900LM-8-CP3-SV-TD-WT	56572113	11" Color Preference® Flushmount with Nightlight - White	900LM	14W	3000K 4000K 5000K	80 (min)	120V	TRIAC	UL Damp Location
FMNL-11IN-900LM-8-CP3-SV-TD-BN	56572114	11" Color Preference® Flushmount with Nightlight - Brushed Nickel	900LM	14W	3000K 4000K 5000K	80 (min)	120V	TRIAC	UL Damp Location
FMNL-11IN-900LM-8-CP3-SV-TD-ORB	56572115	11" Color Preference® Flushmount with Nightlight - Oil Rubbed Bronze	900LM	14W	3000K 4000K 5000K	80 (min)	120V	TRIAC	UL Damp Location
FMNL-13IN-1350LM-8-CP3-SV-TD-WT	56576111	13" Color Preference® Flushmount with Nightlight - White	1350LM	17W	3000K 4000K 5000K	80 (min)	120V	TRIAC	UL Damp Location
FMNL-32IN-3000LM-8-CP3-SV-TD-BN	56587114	32" Color Preference® Oval Flushmount with Nightlight - Brushed Nickel	3000LM	40W	3000K 4000K 5000K	80 (min)	120V	TRIAC	UL Damp Location
KOFM-14-8CP5NL-SV-TD-BL	C01176301A	14" KOA Flush Mount, Drum Style	1400LM	20W	2700K 3000K 3500K 4000K 5000K	80 (min)	120V	TRIAC	ETL Listed for Damp Location
KOFM-14T-8CP5NL-SV-TD-BL	C01177301A	14" KOA Flush Mount, Tapered Style	1400LM	20W	2700K 3000K 3500K 4000K 5000K	80 (min)	120V	TRIAC	ETL Listed for Damp Location
Linear Flush Mounts									
ESLFM-13-8CP3NL-SV-TD-WN	C05009401A	ESLFM 4' x 13" Essex Linear Flush Mount with Nightlight	4500LM	55W	3000K 4000K 5000K	80 (min)	120V	TRIAC	ETL Listed for Damp Location
RTLFM-13-8CP3NL-SV-TD-WH	C05008402A	RTLFM 4' x 13" Rutland Linear Flush Mount with Nightlight	4500LM	55W	3000K 4000K 5000K	80 (min)	120V	TRIAC	ETL Listed for Damp Location
WNLFM-06-8CP3NL-SV-TD-WH	C05012401A	WNLFM 6" x 4' Wellen Linear Flush Mount with Night Light	3300LM	40W	3000K 4000K 5000K	80 (min)	120V	TRIAC	ETL Listed for Damp Location
WNLFM-12-8CP3NL-SV-TD-WH	C05011401A	WNLFM 1' x 4' Wellen Linear Flush Mount with Night Light	4600LM	55W	3000K 4000K 5000K	80 (min)	120V	TRIAC	ETL Listed for Damp Location
Wrap Lights									
NDWR-N-8CP3NL-SV-TD-B	C03030401A	NDWR NuDeco Wrap 46"x 6" with Night Light and Black Finish	4500LM	60W	3000K 4000K 5000K	80 (min)	120V	TRIAC	ETL Listed for Damp Location
NDWR-N-8CP3NL-SV-TD-BN	C03030402A	NDWR NuDeco Wrap 46"x 6" with Night Light and Brushed Nickel Finish	4500LM	60W	3000K 4000K 5000K	80 (min)	120V	TRIAC	ETL Listed for Damp Location
NDWR-W-8CP3NL-SV-TD-B	C03032401A	NDWR NuDeco Wrap 46"x 10" with Night Light and Black Finish	5000LM	70W	3000K 4000K 5000K	80 (min)	120V	TRIAC	ETL Listed for Damp Location
Under Cabinet Lights									
NXAUC-12-8CP5NL-SV-TD	B04020301A	NXAUC 12" Nexus Adjustable Under Cabinet Light with NightLightR™	400LM	8W	2700K 3000K 3500K 4000K 5000K	80 (min)	120V	TRIAC	ETL Listed for Damp Location
NXAUC-18-8CP5NL-SV-TD	B04023301A	NXAUC 18" Nexus Adjustable Under Cabinet Light with NightLightR™	750LM	11W	2700K 3000K 3500K 4000K 5000K	80 (min)	120V	TRIAC	ETL Listed for Damp Location
NXAUC-24-8CP5NL-SV-TD	B04025301A	NXAUC 24" Nexus Adjustable Under Cabinet Light with NightLightR™	1000LM	13W	2700K 3000K 3500K 4000K 5000K	80 (min)	120V	TRIAC	ETL Listed for Damp Location

Catalog Logic/PT#	Model #	Description	Lumens	Watts	CCT	CRI	Voltage	Dimming	Ratings
Vanities									
ALVL-24-9CP5NL-SV-TD-BN	C06014301A	ALVL 24" Allure Vanity Light with NightLightR™ Brushed Nickel	2000LM	25W	2700K 3000K 3500K 4000K 5000K	90 (min)	120V	TRIAC	ETL Listed for Damp Location
ALVL-24-9CP5NL-SV-TD-MB	C06014302A	ALVL 24" Allure Vanity Light with NightLightR™ Matte Black	2000LM	25W	2700K 3000K 3500K 4000K 5000K	90 (min)	120V	TRIAC	ETL Listed for Damp Location
RAVL-24-9CP5NL-SV-TD-BN	C06018301A	RAVL 24" Radii Vanity Light with NightLightR™ Brushed Nickel	1800LM	25W	2700K 3000K 3500K 4000K 5000K	90 (min)	120V	TRIAC	ETL Listed for Damp Location
RAVL-24-9CP5NL-SV-TD-MB	C06018302A	RAVL 24" Radii Vanity Light with NightLightR™ Matte Black	1800LM	25W	2700K 3000K 3500K 4000K 5000K	90 (min)	120V	TRIAC	ETL Listed for Damp Location
ISVL-24-9CP5NL-SV-TD-BN	C06008301A	ISVL 24" Ispa Vanity Light with NightLightR™ Brushed Nickel	1800LM	27W	2700K 3000K 3500K 4000K 5000K	90 (min)	120V	TRIAC	ETL Listed for Damp Location
ISVL-24-9CP5NL-SV-TD-MB	C06008302A	ISVL 24" Ispa Vanity Light with NightLightR™ Matte Black	1800LM	27W	2700K 3000K 3500K 4000K 5000K	90 (min)	120V	TRIAC	ETL Listed for Damp Location
HRVL-24-9CP5NL-SV-TD-MB	C06020302A	HRVL 24" Hera Vanity Light with NightLightR™ Matte Black	1500LM	25W	2700K 3000K 3500K 4000K 5000K	90 (min)	120V	TRIAC	ETL Listed for Damp Location

